

What is an ADDITION?

Is an addition the best thing for my home?



An addition is when you add new square footage of living (conditioned) space to your home.

For this handout, we will be looking at additions which are less than 300 square feet.*

Before planning your addition...

Room additions are usually not a first option due to cost and complexity. First, try things like reorganizing your home or even repurposing a room that is of little use. Repurposing is as simple as swapping out furniture and as extensive as a remodel.

Consider a remodel rather than an addition.

You may ask yourself, "If I'm already going to do construction with a remodel, why not just build an addition?" It's important to know the difference.



Consider reconfiguring your home before adding to it.

Remodels deal with what is already there, without the need for new foundation or roof. Systems like electrical and A/C may not need to be altered. Building an addition can be like building a new home, new from foundation to roof and everything in between.

Also keep in mind the responsible use of resources. The combustion of fossil fuels to generate electricity is the #1 source of CO_2 emissions in the nation, 65% of which is construction-related.

* For larger additions, more Energy Code requirements are involved.



Building an ADDITION How and where do I begin?

When adding to your home, getting the right-sized addition is more important than having energy efficiency as your main goal to help you save money. Keep in mind you need a permit AND you must meet Energy Code minimum standards.

Possible Limitations



Check with City Planning to define how much you can add. It would be based on the location, size of your home, and the size of your lot.

Check with the Building Department for energy, building, and fire department requirements specific to your area.

Professional Services



If you get the "go ahead" from the city the next step is finding your team.

Cities may require the plans to be stamped and signed by design professionals. The services of an architectural designer, an energy consultant, and/or a structural engineer may be required. It is very important to find the ones you trust and who have good communication because "it's a process."

• The right team helps, define the right shape, location, orientation, style, and energy efficient features for your addition. They will help make the new and existing parts of the house correlate in a functional, efficient and cohesive way.



Get things right the first time around Choose what is best for your addition

Look at your home's SITE

For energy savings, first consider your home from the outside. Surprisingly, a well oriented and landscaped addition uses less energy by design. Avoid severe sun exposure and unnecessary heat gain throughout your addition.

- Give your home addition the best orientation by locating longer walls facing north and south.
- Limit hardscape near the addition (concrete and other impermeable materials) to reduce the "heat island" effect.
- Add trees to shade your home and outdoors.



Building Envelope

Moving our focus from the site to the home, use your home addition to regulate exposure to elements like sun, rain, and even noise.

The "building envelope" is another way of saying the shell or skin of the home. The parts that make up the envelope are the parts that keep undesired elements out and desired elements (like conditioned air) in. A good building envelope uses less energy by preventing energy loss. The following pages discuss the parts of the building envelope to consider when designing your addition.





The important parts that make up the whole Of Your New Addition

Roof

The roof is your first line of defense to energy gain or loss to your home. Roofs get hot because they absorb the sun's energy so it is best to select a roof that reflects sunlight and doesn't store heat, known as "cool roof".

California Energy Code recommends a "cool roof" but it is not required. Matching your home may limit choices but you will be surprised by the various "cool roof" products available.

Minimum Required by Energy Code:


- A Radiant Barrier is required to be installed below roof deck and gable ends. Roof sheathing for roof decks can be ordered with radiant barriers. It looks like aluminum foil on one side of the plywood decking.
- When adding roof insulation, a minimum of 1 ½" air gap must be provided from the radiant barrier to the top of the insulation for air to flow.

Attic

If attic insulation is placed under the roof sheathing, the attic is part of the conditioned space and A/C ducts operate more efficiently.

Minimum Required by Energy Code:

- Attic temperatures can reach 120 degrees, and the insulation at the ceiling joist becomes completely saturated with heat. Therefore: Install R-30 insulation.
- Airflow through the attic is critical in reducing heat buildup, requiring inlet and outlet vents. The number and size of these vents must be calculated.
- Seal all cracks: ceiling-to-wall and floor-to-wall joints.



Attic with insulation under roof sheathing increases duct efficiency.



For more energy saving details, please see the handout **Cool Roof.**

A HOME ADDITION WITHOUT SUBTRACTING SAVINGS

The important parts that make up the whole Of Your New Addition



Walls are filled with insulation designed to keep cool air in and heat out. The measurement of how well they do this is called R-value.

like walls, windows are

designed to keep cool air in and

heat out. The measurement of how

well they do this is called U-factor.

Insulation

R-13 is required for 2x4 wood framing at 16" or 24" on center but we recommend an additional rigid insulation of R-5 continuous over the plywood sheathing for a total of R-18 insulation to increase the energy performance of your addition.

Minimum Required by Energy Code:

- R-13 insulation minimum for 2x4 walls.
- R-19 insulation minimum for 2x6 walls.

Windows

Minimum Required by Energy Code:

- U-factor (Window Insulation Factor) of ≤ 0.32, but remember lower is better.
- SHGC (Solar Heat Gain Coefficient) $\leq~0.25$
- Maximum glazing area of new windows is 75 square feet.



For more energy saving details, please see the handout *Insulate*.



For more energy saving details, please see the handout *Window*.

Use the Sun

Just

- Daylighting Use sunlight to light the house by installing solar tubes and/or skylights.
- Solar power If you have more than 250 square feet of roof area that faces south, west or east, consider renewable energy in the form of roof top solar panels.





The important parts that make up the whole Of Your New Addition

Electricity

New electric wiring will be added to provide power and lighting to the addition. The existing wiring may need upgrading to cope with the power need of the new ADDITION.

Minimum Required by Energy Code:

- @ Bedrooms: Must be high efficacy lighting and must be controlled by vacancy sensor or a dimmer.
- @ Bathrooms: Must have at least one high efficacy luminaire and all must be controlled by vacancy sensors

NOTE: High efficacy luminaires (LED or Compact Fluorescent lights) must switch separately from low efficacy luminaires.



For more energy saving details, please see the handout *Electricity*.

HVAC

First, about ducts: If you are extending less than 40 feet of ducts, no additional permit is required. If more than 40 feet, you must register with a HERS Provider Data Registry.

Second, if you are adding a new A/C system for your addition, select a high-efficiency A/C system that best meets your needs, and will help you keep your new addition cool with low energy bills.

- Get the right HVAC size. The size of your addition plays a very important part on the size selection of your HVAC.
- Have your HVAC contractor install and sign certificates of installation as required by Energy Code.

Minimum Required by Energy Code:



For more energy saving details, please see the handout **HVAC.**

• Minimum SEER=14 is required



The steps you need to follow REPLACE, or ADD to your current system

What should YOU do when adding square footage to your home?



- Evaluate how much square footage you have and how much you plan to add.
- Assemble the right design team to design and prepare construction plans.
- Select the right contractor one who is licensed and bonded.
- Submit Certificates, Application and Plans as a part of getting a permit from your local Building Department.
- Schedule inspections with your local building inspector to review paperwork including certificates and work completed. Inspections may include preinspection, tests, and final inspection.

Things to consider

- Is your house historic? If so, some limitations and/or restrictions may apply.
- Do you live in a community with a HOA (Homeowner's Association)? Check for approval process and acceptable installation location or any other restrictions.

Please make sure to review minimum requirements throughout this handout. For more details, please refer to accompanying handouts.



Building Department Checklist Plans, Permit, and Inspection

For PLANS and PERMIT

TO OBTAIN a PERMIT, submit

- 1. Building Permit Application and Fees.
- 2. The form(s) required based on the amount of A/C mechanical ducts added or replaced.
 - a. Less than 40 feet: Complete Certificate of Compliance Form CEC-CF1R-ADD-02-E: Prescriptive Residential Additions 300 Ft2 or less, or additions that do not require HERS Field Verification, building envelope conformance is required.
 - b. More than 40 feet or adding new equipment: HERS Field Verification is required. In addition to the Certificate of Compliance:

The project must first be registered with a HERS Provider Data Registry (such as CAL CERTS) to obtain a registration number to be added to heating/cooling conformance Certificate of Compliance CEC-CF1R-ADD-01: Additions 1000 FT2 or Less.

1.0		APPLICATH	IN FOR BUILDING PENHIT
PLEVEL FILL OUT COMPLETEDY IN IN	<i>6</i> ,		
JA AURINI		CW	Com A
UNITION		Perit	
banglier, trans. uchroni desperifyd frechri fannif			factor 1
Dragon Dy? The Club Agen &	angelet.		Courteen B
Name of Tanant		Talat	maf 1
			and 1
BUNDING PERFETS	100403790		
	91 D-3.16	1.0000102-089	-6/12308304
unca .	Statutes.	1010010-0112-008	Intel CR 121
EMPLO.		18.171 (A. AL 778)	EDUCTION ADJUSTICS
ALCOLOGY AND THE R	10/10/00/00	10-10-AL-11	AND DESCRIPTION FROM FROM
(C143)	VINC SECURICS	\$21.8.TOD-	TRAFCAMP CRICTLAS
CONCINE (BLZ)	1047946		WHELESS TOWER- AN TENNA
NAMES PARTICULAR			SACASE LINES.
CONTRACT PERSONNALITY	n.	54, ; ;	Re (1
#38 term		On	Ban
PROPERTY OWNER		tagter ()	
A18		0.	her
	114		P-
	Transi Manas		
contracton CONTAI		- Identified 1	test 1
A48-000		09	ber
Lorison No.			~
ANDINEN			tet (
Manage Contract of		- Dec	and I have
hair lanas No.	deal .		
second is store a such factors	(exclusion and	out of a balance of a	
Louis Inc. No. Rebut 11, politics	control of the fact	the latest in the matter is not	
S ON SOLOW			
DONNTURE OF APPLICANT OF AG	ENT.		Berry
Care and			
Annual Louis Joint			1.1. 180 Lai

er en en en anne en	a na anna an tar a	Public Jackson	Participation of the
Contract of a start of the local starts and the start of		the advances of the second second	and a first start of
and the second set of the first the fights			
the state of the local day bands have all	and the second states	the life sector is the barry of the sector but	the set of the
an interference and all of a straight of the site of a second straight when	Frank, for failing a frank	erriting on behave rengions the star	
and distance in succession in the second sec		an over i trabai adust i se ante d'un	
	all and a straight and	(in) Company's Cartal Galaxy	
COMMON DEFINITION	14	la sera	
		Saling hand taxes into	
		Baller of Balling Ind. of Ballins	4
The second secon			
Ballet be		Including the log of spikes	RTIFIC
Taxa and		an head?	
Tour ban			





Building Department Checklist Plans, Permit, and Inspection


- Complete Certificate of Compliance Form CEC-CF1R-ALT-01-E: Residential Alterations for Lighting/Electrical Conformance.
- 4. Construction Plans & Photos.

For **CLOSEOUT**

TO COMPLETE THE PROJECT:

- 1. Schedule inspections with the City.
- 2. Complete ALL applicable Certificates of Installation and Field Verification forms such as:
 - a. Form CF2R-ENV-01-E for Windows.
 - b. Form CF2R-ENV-02-E for Envelope Air Sealing.
 - c. Form CF2R-ENV-03-E for Insulation Installation.
 - d. Form CF2R-ENV-04-E for Roofing.
 - e. Form CF2R-LGT-01-E for Lighting.
 - f. Form CF2R-MECH-01-H for Ductwork.





Visit your local Building and Planning Department for very helpful information including specific requirements for permit submittal and approvals. Design approval submittal may be required.



Check out other improvement ideas...







An EDISON INTERNATIONAL® Company

This program is funded by California Utility ratepayers and administered by Southern California Edison under the auspices of the California Public Utilities Commission